


Efficient longest flow path algorithm




$\backslash \text{def} \backslash \text{LFP} \{ \overrightarrow{\text{LFP}} \} \text{ } \backslash \text{def} \backslash \text{FP} \{ \overrightarrow{\text{FP}} \} \text{ } \backslash \text{def} \backslash \text{FL} \{ \text{FL} \} \text{ } \backslash \text{def} \backslash \text{DFL} \{ \text{DFL} \} \text{ } \backslash \text{def} \backslash \text{UFL} \{ \text{UFL} \} \text{ } \backslash \text{def} \backslash \text{LFL} \{ \text{LFL} \} \text{ } \backslash$

A flow path $\backslash \text{FP}_i$ is a watercourse between a pair of two points i within a watershed and the longest flow path $\backslash \text{LFP}$ is defined as

$\backslash \text{LFP} \in \left\{ \backslash \text{FP}_i; \backslash \text{middle} \backslash \text{vert}; \backslash \text{left} \backslash \text{Vert} \backslash \text{FP}_i \backslash \text{right} \backslash \text{Vert}; \backslash \text{geq} \backslash \text{left} \backslash \text{Vert} \backslash \text{FP}_j \backslash \text{right} \backslash \text{Vert}; \backslash \text{forall } j \backslash \text{neq } i \backslash \text{right} \right\} \backslash$

The longest flow path plays an important role in hydrologic modeling, but its computation requires multi-step raster calculations for each watershed. This research project aims to improve the current process and efficiency of computing the longest flow path for a lot of watersheds.



Method	lfp.sh	lfp2.sh	r.lfp	Coming soon
Elapsed time	3h 48m	9h 8m	6h 46m	56s

From:
<https://clawiki.isnew.info/> - **CLAWRIM Wiki**

Permanent link:
https://clawiki.isnew.info/efficient_longest_flow_path_algorithm?rev=1578442275

Last update: **2020-01-07 05:11 pm**

